Name:		Date:	
Notes Algebra Section 4.2 Pages 215-221			
<b>Goal:</b> "You will use a table to graph a "You will graph horizontal and "Choose appropriate <i>x</i> values"	linear equation" vertical lines"		
<b>Vocabulary</b> Linear Equation: Any	whose graph is a	line.	
If you graph it and it is not a		, you made an error.	
Solution: **Any	(	x,y) that makes the	true
when substituted.			
** Any	_ on the line		
** Note: Since a	continues on	in	
, and there	e are	points on a line, then a	
has		·	
<b>Example:</b> Which ordered pair is a sol	ution to : $3x - y = 7;$	(3,4) or (1, -4)? Explain.	
(3,4)		(1,-4)	
x= y=	x= y=		
Plug <i>x</i> and <i>y</i> into the equation.	Plug <i>x</i> and <i>y</i>	into the equation.	
3x - y = 7	3 <i>x</i>	-y = 7	
Which one is a solution to the equatio	n?		

Try These: 1) Which ordered pair is a solution to: 2x - 6 = 3y; (3,-2) or (0,-2)?

2) Is (4, -1) a solution to x + 2y = 5? Why or why not?

3) Are the following points solutions to the linear equation represented by the line graphed?

- a) (1,6)
- b) (-3, 2)



4) List three ordered pairs that are solutions to the equation 3x - 5 = y

5) List four ordered pairs that are a solution to the equation 2x + 3 = y

6) If *x* is 5, what ordered pair is a solution to the equation 2x + 7 = y?

## Graphing a linear equation by making a table:

1) Choose 5 appropriate values for *x*. Typically these values are:

\*\*Do not choose these values if:

There is a restriction on the \_\_\_\_\_\_. For example, if it says *x* ≥ 0, then you must choose only \_\_\_\_\_\_ values, or if dealing with \_\_\_\_\_\_. Time cannot be \_\_\_\_\_\_.
If after putting the equation in function form, the \_\_\_\_\_\_ of *x* is a \_\_\_\_\_\_, then it makes most sense to choose \_\_\_\_\_\_ of the \_\_\_\_\_\_ to avoid \_\_\_\_\_\_.

2) Plug your 5 values into the function for *x*, find out what *y* is for each to complete your table.

Х	-2	-1	0	1	2	y = -3 + 2x
У						

3) Graph the ordered pairs you now have from your table.



Try These:

1) Graph y = 2x - 2





2) Graph y = 3x - 5





3) Graph y = -3x + 1 with a domain of  $x \ge 0$ 

\*which values can you <u>**not**</u> choose for *x*? Why?



x			
у			

\*Identify the range...



X			
у			

5) Graph y = 2x - 1 with a domain of  $x \le 0$  then identify the range.



x			
у			

Range: \_\_\_\_\_



8) The distance, *d*, in miles, that a runner travels is given by the function d = 6t where *t* is the time (in hours) spent running. The runner plans to go for a 1.5 hour run. Set up a table and identify the domain and range of the function. Choose at least 4 values for *t*.

t		
d		

9) For gas that costs \$2 per gallon, the equation C = 2g gives the cost, C, in dollars for g gallons of gas. You plan to pump \$10 worth of gas. Set up a table and identify the domain and range.

g		
С		